

Taxonomy of Picornaviridae: Current Situation and Future Proposals

Nick J. Knowles¹, Tapani Hovi², Timo Hyypiä³, Andrew M.Q. King⁴, A. Michael Lindberg⁵, Philip D. Minor⁶, Mark A. Pallansch⁷, Ann C. Palmenberg⁸, Tim Skern⁹, Glyn Stanway¹⁰, Teruo Yamashita¹¹ and Roland Zell¹²

(1) Institute for Animal Health, Pirbright, UK; (2) Enterovirus Laboratory, KTL, Helsinki, Finland; (3) Dept. of Virology, Univ. Turku, Finland; (4) 'Sunfield', Dawney Hill, Pirbright, Woking, Surrey, UK; (5) School of Pure and Applied Natural Sciences, University of Kalmar, Sweden; (6) NIBSC, South Mimms, UK; (7) CDC, Atlanta, USA; (8) Institute for Molecular Virology, Wisconsin, USA; (9) Max F. Perutz Laboratories, Medical Univ. Vienna, Austria; (10) Dept. of Biological Sci., Univ. Essex, UK; (11) Aichi Prefectural Institute of Public Health, Aichi, Japan; (12) Institut fuer Virologie und Antivirale Therapie, Jena, Germany.

RECENT ICTV-APPROVED CHANGES (ICTV LEVEL 05)

Four taxonomic proposals have recently been approved by the ICTV: i) to combine the *Enterovirus* and *Rhinovirus* genera, keeping the existing name *Enterovirus*; ii) to combine the species *Poliovirus* and *Human enterovirus C*, retaining the latter name; iii) to assign *Human enterovirus C* as the type species of the enterovirus genus; iv) to create a new order, *Picornavirales* (Le Gall *et al.*, 2008), containing the families *Picornaviridae*, *Comoviridae*, *Dicistroviridae*, *Iflaviridae*, *Marnaviridae* and *Sequiviridae* and the unassigned genera *Cheravirus* and *Sadwavirus*.

Thus, the family *Picornaviridae* currently consists of 22 species in 8 genera (*Enterovirus*, *Cardiovirus*, *Aphthovirus*, *Hepatovirus*, *Parechovirus*, *Erbovirus*, *Kobuvirus* and *Teschovirus*).

CURRENT PROPOSALS (ICTV LEVEL 02)

Genus "*Sapelovirus*"

Species "*Porcine sapelovirus*" (formerly *Porcine enterovirus A*), single type porcine sapelovirus (PSV) (formerly porcine enterovirus 8) (Krumbholz *et al.*, 2002)

Species "*Simian sapelovirus*", 3 types simian sapelovirus (SSV) 1, SSV-2 and SSV-3 (formerly simian virus 2 and related viruses) (Oberste *et al.*, 2003)

Species "*Avian sapelovirus*", single type avian sapelovirus (ASV) (formerly duck picornavirus TW90A) (Tseng & Tsai, 2007b).

Genus "*Senecavirus*"

Species "*Seneca Valley virus*"; single type Seneca Valley virus (SVV) (Hales *et al.*, 2008).

Genus "*Tremovirus*"

Species, "*Avian encephalomyelitis virus*"; single type avian encephalomyelitis virus (AEV) (Marvil *et al.*, 1999).

CURRENT PROPOSALS (ICTV LEVEL 01)

Genus "*Avihepatovirus*"

Species, "*Duck hepatitis A virus*"; three types: duck hepatitis A virus (DHAV) 1, DHAV-2 and DHAV-3 (Kim *et al.*, 2006, 2007; Tseng *et al.*, 2007; Tseng & Tsai, 2007a).

PROPOSALS UNDER DISCUSSION OR IN PREPARATION

1-3 are proposals in preparation, while 4-5 are under discussion:

- 1) bovine rhinovirus type 2 (Hollister *et al.*, 2008) to be classified as a new species ("*Bovine rhinitis B virus*") in the genus *Aphthovirus*;
- 2) the species *Bovine enterovirus* is to be divided into two species, "*Bovine enterovirus A*" and "*Bovine enterovirus B*";
- 3) seal picornavirus 1 (Kapoor *et al.*, 2008a) be placed in a new species and genus, yet to be named;
- 4) a new group of human rhinoviruses has been suggested to form a third rhinovirus species ("*Human rhinovirus C*") within the genus *Enterovirus* (Lamson *et al.*, 2006; Kistler *et al.*, 2007; Lau *et al.*, 2007; McErlean *et al.*, 2008).
- 5) the genome sequences of some unassigned simian enteroviruses suggest their placement in one or more new species in the *Enterovirus* genus (Oberste *et al.*, 2007).




Figure 1. Unrooted Neighbor-joining tree of the *Picornaviridae* based on a comparison of the P1 capsid region.

THE FUTURE

If all these changes are eventually approved by the ICTV, the *Picornaviridae* will comprise some 30 species in 13 genera and it is expected that these numbers will steadily increase as new picornaviruses are discovered.

The deadline for proposals to be considered at the 2008 Annual Meeting of the ICTV Executive Committee is 30 June 2008.

The latest classification and proposals may be viewed on the *Picornaviridae* Study Group website: <http://www.picornastudygroup.com> and on the ICTV website: <http://talk.ictvonline.org>.

REFERENCES

- Hales, L.M., Knowles, N.J., Xu, L., Hay, C., Pollic, S.R. and Hallenbeck, P.L. (2008). Complete genome sequence analysis of Seneca Valley virus-001, a novel oncolytic picornavirus. *J. Gen. Virol.* 89: 1265-1275.
- Hollister, J., Vagnozzi, A., Knowles, N.J. and Rieder, E. (2008). Molecular and phylogenetic analyses of bovine rhinovirus type 2 show it is closely related to foot-and-mouth disease virus. *Virology* 373: 411-425.
- Kapoor, A., Victoria, J., Simmonds, P., Wang, C., Shafer, R.W., Nims, R., Nielsen, O. and Delwart, E. (2008a). A highly divergent picornavirus in a marine mammal. *J. Virol.* 82: 311-320.
- Kim, M.-C., Kwon, Y.-K., Joh, S.-J., Lindberg, A.M., Kwon, J.-H., Kim, J.-H. and Kim, S.-J. (2006). Molecular analysis of duck hepatitis virus type 1 reveals a novel lineage close to the genus *Parechovirus* in the family *Picornaviridae*. *J. Gen. Virol.* 87: 3307-3316.
- Kim, M.C., Kwon, Y.K., Joh, S.J., Kim, S.J., Toft, C., Kim, J.H., Sung, H.W., Lindberg, A.M. and Kwon, J.H. (2007). Recent Korean isolates of duck hepatitis virus reveal the presence of a new genotype and serotype when compared to duck hepatitis virus type 1 type strains. *Arch. Virol.* 152: 2059-2072.
- Kistler, A., Avila, P.C., Rouskin, S., Wang, D., Ward, T., Yagi, S., Schurr, D., Ganem, D., DeRisi, J.L. and Boushey, H.A. (2007). Pan-viral screening of respiratory tract infections in adults with and without asthma reveals unexpected human coronavirus and human rhinovirus diversity. *J. Infect. Dis.* 196: 817-825.
- Krumbholz, A., Dauber, M., Henke, A., Birch-Hirschfeld, E., Knowles, N.J., Stelzner, A. and Zell, R. (2002). Sequencing of porcine enterovirus groups II and III reveals unique features of both virus groups. *J. Virol.* 76: 5813-5821.
- Lamson, D., Renwick, N., Kapoor, V., Liu, Z., Palacios, G., Ju, J., Dean, A., St George, K., Briese, T. and Ian Lipkin, W. (2006). MassTag polymerase-chain-reaction detection of respiratory pathogens, including a new rhinovirus genotype, that caused influenza-like illness in New York State during 2004-2005. *J. Infect. Dis.* 194: 1398-1402.
- Lau, S.K., Yip, C.C., Tsoi, H.W., Lee, R.A., So, L.Y., Lau, Y.L., Chan, K.H., Woo, P.C. and Yuen, K.Y. (2007). Clinical features and complete genome characterization of a distinct human rhinovirus species, Human rhinovirus C (HRV C). *PLoS ONE* 3(4): e1847 doi:10.1371/journal.pone.0001847.
- Le Gall, O., Christian, P., Fauquet, C.M., King, A.M.Q., Knowles, N.J., Nakashima, N., Stanway, G., Gorbalenya, E.E. (2008). *Picornavirales*, a proposed order of positive-sense single-stranded RNA viruses with a pseudo T = 3 virion architecture. *Arch. Virol.* 153: 715-727.
- Marvil, P., Knowles, N.J., Mockett, A.P.A., Britton, P., Brown, T.D.K. and Cavanagh, D. (1999). Avian encephalomyelitis virus is a picornavirus and is most closely related to hepatitis A virus. *J. Gen. Virol.* 80: 653-662.
- McErlean, P., Shackleton, L.A., Andrews, E., Webster, D.R., Lambert, S.B., Nissen, M.D., Sloots, T.P. and Mackay, I.M. (2008). Distinguishing molecular features and clinical characteristics of a putative new rhinovirus species, Human rhinovirus C (HRV C). *PLoS ONE* 3(4): e1847 doi:10.1371/journal.pone.0001847.
- Oberste, M.S., Maher, K. and Pallansch, M.A. (2003). Genomic evidence that simian virus 2 and six other simian picornaviruses represent a new genus in *Picornaviridae*. *Virology* 314: 283-293.
- Oberste, M.S., Maher, K. and Pallansch, M.A. (2007). Complete genome sequences for nine simian enteroviruses. *J. Gen. Virol.* 88: 3360-3372.
- Tseng, C.-H. and Tsai, H.-J. (2007a). Molecular characterization of a new serotype of duck hepatitis virus. *Virus Res.* 126: 19-31.
- Tseng, C.-H. and Tsai, H.-J. (2007b). Sequence analysis of a duck picornavirus isolate indicates that it together with porcine enterovirus type 8 and simian picornavirus type 2 should be assigned to a new picornavirus genus. *Virus Res.* 129: 104-114.
- Tseng, C.-H., Knowles, N.J. and Tsai, H.-J. (2007). Molecular analysis of duck hepatitis virus type 1 indicates that it should be assigned to a new genus. *Virus Res.* 123: 190-203.

Your opinions are important to us:
If you have any views on the classification/taxonomy of the *Picornaviridae* please contact one of the Study Group members.